

**2003 Ford F-150
F17 Reg Cab 139" XL**

No Picture Available for this vehicle

VEHICLE SUMMARY

Effective Date: 5/20/02

ORDERING EFF 9/01/02 - PLC 315

**SELECTED OPTIONS
CODE DESCRIPTION**

___	NATIONAL REGION
___	STANDARD EMISSIONS
44E	4-SPEED AUTOMATIC TRANSMISSION W/OD (w/99L Engine REQ: 627 or 628 Payload) (REQ: 99L, 99M or 99Z Engine) (w/99M Engine REQ: 627 Payload)
X26	3.73 AXLE RATIO (REQ: 627 Payload)
502A	XL SERIES ORDER CODE
627	7700 PAYLOAD GROUP A (REQ: 99L, 99M or 99Z Engine, 44E Trans) (N/A w/47Y STX Pkg) -inc: 7700# GVWR, 3105# maximum payload, 14-plate auxiliary trans oil cooler, larger brake rotors, HD frame/shocks/ springs, HD 7-lug argent styled steel wheels w/chrome hubs, LT245/75R16D all-season SBR BSW tires, 3.73 axle ratio, radiator upgrade, 72 amp-hr battery (w/772 Work Truck-inc: argent wheel hubs) (w/99M Engine-inc: 7650# GVWR, 2720# maximum payload)
T34	LT245/75R16D ALL-SEASON SBR BSW TIRES (REQ: 627 or 628 Payload)
C_	CLOTH FRONT FULL BENCH SEAT (N/A w/60B Convenience Group) (STD)
___	SOLID PAINT (STD)
572	AIR CONDITIONING (REQ: 772 Work Truck) *This option adds back STD air conditioning deleted by Work Truck Group*
772	WORK TRUCK GROUP -inc: vinyl front full bench seat, "XL" badge (N/A w/168 Carpeting, 585 or 586 Radio, 47Y STX Edition Pkg, T53 Tires) *Replaces STD chrome trim w/grey bumpers/grille surround/wheel hubs* *CREDIT* *Deletes STD air cond*
99Z	5.4L OHC V8 BI-FUEL PREP "TRITON" ENGINE (LPO) (REQ: 44E Trans, X26 or XB6 Axle, T34 Tires, 66P or 66N Fuel System) (N/A w/473 Accessories Group, 18E Cab Steps) -inc: fuel tank mounted in pickup box behind cab *Available to certified dealers only* *ULEV compliant* *GROSS*

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097
SECTION 2 (PRICE LINE 2) CONTRACT PRICE: \$17,724.00
CONTRACT: A53134 CONTRACTOR: PLAZA FORD MOTORS FLEET

CODE DESCRIPTION

____ 99Z ALTERNATIVE FUEL VALUE SAVINGS *DISCOUNT*
 66N NATURAL GAS FUEL SYSTEM (N/A w/473 Top 3 Accessories Group, 18E Cab Steps) -inc: 11.9 (GGE) single in-bed fuel tank (LPO) (REQ: 99Z Engine) *Late Availability*

Color Selections

	Description	Code
Exterior#1	Arizona Beige Metallic	AQ
Exterior#2		
Interior	Medium Parchment	H
	Description	Code
Exterior#1	Dark Shadow Grey Metallic	CX
Exterior#2		
Interior	Dark Graphite	T
	Description	Code
Exterior#1	Bright Red	E4
Exterior#2		
Interior	Medium Parchment	H
	Description	Code
Exterior#1	Bright Red	E4
Exterior#2		
Interior	Dark Graphite	T
	Description	Code
Exterior#1	Burgundy Red Metallic	FX
Exterior#2		
Interior	Medium Parchment	H
	Description	Code
Exterior#1	Burgundy Red Metallic	FX
Exterior#2		
Interior	Dark Graphite	T
	Description	Code
Exterior#1	True Blue Metallic	L2
Exterior#2		
Interior	Medium Parchment	H
	Description	Code
Exterior#1	True Blue Metallic	L2

CODE DESCRIPTION

Exterior#2		
Interior	Dark Graphite	T
	Description	Code
Exterior#1	Dark Highland Green Metallic	PX
Exterior#2		
Interior	Medium Parchment	H
	Description	Code
Exterior#1	Dark Highland Green Metallic	PX
Exterior#2		
Interior	Dark Graphite	T
	Description	Code
Exterior#1	Black	UA
Exterior#2		
Interior	Medium Parchment	H
	Description	Code
Exterior#1	Black	UA
Exterior#2		
Interior	Dark Graphite	T
	Description	Code
Exterior#1	Silver Metallic	YN
Exterior#2		
Interior	Dark Graphite	T
	Description	Code
Exterior#1	Oxford White	YZ
Exterior#2		
Interior	Medium Parchment	H
	Description	Code
Exterior#1	Oxford White	YZ
Exterior#2		
Interior	Dark Graphite	T

STANDARD EQUIPMENT

NOTE

ALL STANDARDS ARE 2003 UNLESS OTHERWISE NOTED

MECHANICAL

4.2L (256) SEFI V6 engine *ULEV compliant*

Engine block heater *STD only in AK, MN, MT, ND, SD, WI & WY*

5-speed manual transmission w/OD

Rear wheel drive

58 amp-hour (540 CCA) maintenance-free battery w/battery-saver feature

130 amp alternator

4-pin trailer tow wiring

Fail-safe cooling feature

8' pickup box w/tie-down hooks

6050# GVWR/1940# maximum payload

3450# capacity twin forged SLA front axle

3800# capacity rear axle

Front coil/rear leaf spring suspension

Gas-pressurized shock absorbers

P235/70R16SL all-season SBR BSW tires

Full-size spare tire

Underframe crank-type spare tire carrier-inc: spare tire lock

16" x 7.0" 5-stud argent grey styled steel wheels w/chrome hubs

Pwr steering

Pwr front/rear anti-lock disc brakes (ABS)

30.0 gallon fuel tank

EXTERIOR

Chrome front/rear step bumper

Chrome headlamp surround & grille w/grey "egg crate" insert

Box-rail/tailgate moldings (2002)

Cargo box light

Dual black manual mirrors

Interval wipers

Black door handles

Removable tailgate w/black handle

INTERIOR

Cloth front full bench seat

Black vinyl floor covering

Black polyurethane steering wheel

Instrumentation-inc: speedometer, voltmeter

Gauges-inc: oil pressure, engine coolant temp, fuel

Loose fuel cap warning light (2002)

Securilock anti-theft ignition

Manual air conditioning

Electronic AM/FM stereo radio w/cassette-inc: digital clock, (4) speakers

INTERIOR

- Dual instrument panel cup holders
- Auxiliary pwr point in instrument panel
- Removable instrument panel ash cup
- Vinyl upper door trim w/integral armrest, map pocket
- Dual A-pillar grab handles
- Cloth sunvisors w/LH strap, RH mirror
- Lights-inc: dome light w/dual map lights, underhood light
- Back panel cover

EPA FUEL ECONOMY RATINGS

- City 17/hwy 21 (4.2L engine/5-speed manual trans) (2002)
- City 16/hwy 20 (4.2L engine/4-speed auto trans) (2002)
- City 15/hwy 19 (4.6L engine/5-speed manual trans) (2002)
- City 16/hwy 20 (4.6L engine/4-speed auto trans) (2002)
- City 15/hwy 19 (5.4L engine/4-speed auto trans) (2002)
- City 12/hwy 16 (5.4L dedicated CNG engine/4-speed auto trans) (2002)
- City 11/hwy 14 (5.4L Bi-Fuel CNG engine w/Natural Gas/4-spd auto trans) (2002)
- City 11/hwy 15 (5.4L Bi-Fuel CNG engine w/Gasoline/4-speed auto trans) (2002)
- City 12/hwy 13 (5.4L Bi-Fuel LPG engine w/Propane/4-speed auto trans) (2002)
- City 12/hwy 16 (5.4L Bi-Fuel LPG engine w/Gasoline/4-speed auto trans) (2002)

SAFETY

- Driver & front passenger airbags w/passenger-side deactivation switch
- Pwr front/rear anti-lock disc brakes (ABS)
- Outboard height-adjustable shoulder belts
- (2) front passenger seat integrated child seat tethers

COLOR CHART

	Interior Colors	
	Medium Parchment	Dark Graphite
Exterior Colors		
Arizona Beige Metallic	X	
Dark Shadow Grey Metallic		X
Bright Red	X	X
Burgundy Red Metallic	X	X
True Blue Metallic	X	X
Dark Highland Green Metallic	X	X
Black	X	X
Silver Metallic		X
Oxford White	X	X

WARRANTY

Basic: 3 Years/36,000 Miles
Corrosion: 5 Years/Unlimited Miles
Roadside Assistance: 3 Years/36,000 Miles

POWERTRAIN - BASIC SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

ENGINE

Engine Order Code	* 99Z
Engine Type	* Bi-Fuel V8
Displacement	* 5.4L/330 CID
Fuel System	* - TBD -
SAE Net Horsepower @ RPM	* 206 @ - TBD -
SAE Net Torque @ RPM	* 290 @ - TBD -

TRANSMISSION

Trans Order Code	* 44E
Trans Type	* 4-Speed Automatic w/OD
Drivetrain	Rear Wheel Drive

MILEAGE

	City	Hwy
		* 14.00
EPA Fuel Economy Est (MPG)	* 11.00 (2002)	(CNG) (2002)
Cruising Range (mi)	* 460.90	* 586.60

POWERTRAIN - ADVANCED SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

TRANSMISSION

Gear Ratio (:1)	
First Gear Ratio (:1)	* 2.71
Second Gear Ratio (:1)	* 1.54
Third Gear Ratio (:1)	* 1.00
Fourth Gear Ratio (:1)	* 0.71
Reverse Ratio (:1)	* 2.18
Clutch Size (in)	*

Trans Power Take Off

TRANSFER CASE

Transfer Case Model	
Gear Ratio (:1)	
Transfer Case Gear Ratio (:1), High	
Transfer Case Gear Ratio (:1), Low	
Transfer Case Power Take Off	

DIFFERENTIAL	Front	Rear
Final Drive Axle Ratio (:1)		* 3.73
ELECTRICAL		
Battery	1	2
Maximum Capacity @ 0° F	540.00	
Alternator		
Maximum Alternator Capacity (amps)	130.00	
COOLING SYSTEM		
Total Cooling System Capacity (qts)	* 23.90	
Engine Oil Cooler	- TBD -	

PAYLOAD/TRAILERING SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

WEIGHT INFORMATION	Front	Rear
Gross Axle Weight Rating (lbs)	* 3,375.00	* 4,800.00
Curb Weight (lbs)	2,331.00	1,710.00
Total Option Weight (lbs)	* 106.00	* 60.00
Reserve Axle Capacity (lbs)	* - TBD -	* - TBD -
Gross Vehicle Weight Rating (lbs)		
As Spec'd Curb Weight (lbs)		
As Spec'd Payload (lbs)		
Gross Combined Wt Rating (lbs)		
TRAILERING	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lbs)	* 4,000.00	* 400.00
Weight Distributing Hitch (lbs)	* 4,000.00	* 480.00
Fifth Wheel Hitch (lbs)	* 4,000.00	* 1,000.00

DIMENSION SPECIFICATIONS

EXTERIOR DIMENSIONS

Wheelbase (in)	138.50
Length, Overall w/o rear bumper (in)	225.50
Width, Max w/o mirrors (in)	78.30
Height, Overall (in)	72.40
Overhang	
Overhang, Front (in)	38.70
Front Bumper to Back of Cab (in)	- TBD -
Cab to Axle (in)	- TBD -
Cab to End of Frame (in)	- TBD -

EXTERIOR DIMENSIONS

Ground to Top of Load Floor (in)	32.30
Ground to Top of Frame (in)	- TBD -
Frame Width, Rear (in)	- TBD -
Ground Clearance	
Ground Clearance, Front (in)	- TBD -
Ground Clearance, Rear (in)	- TBD -

CARGO AREA DIMENSIONS

Cargo Box Length @ Floor (in)	97.00
Width	
Cargo Box Width @ Top, Rear (in)	61.1 @ Belt
Cargo Box Width @ Floor (in)	60.30
Cargo Box Width @ Wheelhousings (in)	50.00
Cargo Box (Area) Height (in)	19.70
Tailgate Width (in)	- TBD -
Cargo Volume (ft³)	72.60
Ext'd Cab Cargo Volume (ft³)	

INTERIOR DIMENSIONS

Passenger Capacity	3.00
Seating Position	Front
Head Room (in)	40.80
Leg Room (in)	40.90
Shoulder Room (in)	63.80
Hip Room (in)	61.00

CHASSIS SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

SUSPENSION

	Front	Rear
Spring		
Spring Type	Coil Spring	2-Stage Multi-Leaf
Spring Capacity (lbs)	* 3,375.00	* 4,800.00
Axle		
Axle Type	Twin Forged SLA	Semi-Floating
Axle Capacity (lbs)	* 3,700.00	* 5,300.00
Shock Absorber Diameter (mm)	* 35.00	* 35.00
Stabilizer Bar Diameter (in)	- TBD -	

BRAKES

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097
 SECTION 2 (PRICE LINE 2) CONTRACT PRICE: \$17,724.00
 CONTRACT: A53134 CONTRACTOR: PLAZA FORD MOTORS FLEET

BRAKES

Brake Type	Power		
Brake ABS System	4-wheel		
	Front	Rear	
Disc	Yes	Yes	
Rotor Diam x Thickness (in)	12.1 x - TBD -	13.2 x - TBD -	

TIRES

	Front	Rear	Spare
Tire Order Code	* T34	* T34	T34
Tire Size	* LT245/75R16D	* LT245/75R16D	LT245/75R16D
Capacity (lbs)	* 2,300.00	* 2,300.00	2,300.00
Revolutions/Mile @ 45mph	* 679.00	* 679.00	679.00

WHEELS

	Front	Rear	Spare
Wheel Size (in)	16.0 x 7.0	16.0 x 7.0	16.0 x 7.0
Wheel Type	Steel	Steel	Steel

STEERING

Steering Type	Power
Ratio (:1)	
Steering Ratio (:1), On Center	14.00
Steering Ratio (:1), At Lock	
Turning Diameter (ft)	
Turning Diameter - Curb to Curb (ft)	45.90
Turning Diameter - Wall to Wall (ft)	47.70

FUEL TANK

	Main	Auxiliary
Fuel Tank Capacity, Approx (gal)	30.00	* 11.90
Fuel Tank Location	Midship	* Single In-Bed

ALTERNATIVE FUEL VEHICLES (AFV), PICKUP, DED/BI-FUEL CNG - T2097
 SECTION 2 (PRICE LINE 2) CONTRACT PRICE: \$17,724.00
 CONTRACT: A53134 CONTRACTOR: PLAZA FORD MOTORS FLEET